

Scissor Lift

Used Scissor Lift North Carolina - Scissor lifts are industrial machines that rely on a configuration of crisscrossed linked steel arms. This equipment is utilized to create an “X” patterned support in order to accomplish vertical lifting. The scissor lift has a rectangular platform attached to the top of it. For additional operator safety and to keep items along the edge of the platform secure, there are support railings. The scissor lift has a low profile to maintain stability on hard, compact surfaces like concrete. These units can run on either a combustion engine or electric engine to handle the lifting and transporting of the machine. The lift function operates on a vertical plane only. In order for the operator to transport the lift horizontally, they will have to reposition the lift itself. Rough terrain and regular lift models rely on the same lifting technology to maneuver the lifting components. The rough terrain units are designed for driving on gravel and uneven surfaces. These machines rely on large all-terrain tires to allow rough terrain scissor lifts to traverse difficult locations while offering higher ground clearance. Certain models offer 4WD making them able to traverse through dirty areas. The higher center of gravity works in conjunction with lower lifting heights. If you have never operated one before, scissor lifts can seem strange or intimidating. Images of swaying in the wind and being precariously balanced may come to mind. Feel secure knowing you will not feel the lift even moving and you will be in a stable position. A variety of safety tests have to be completed before this unit can be sold. Of course, if you are new to this kind of equipment, it is normal to feel unsure until you familiarize yourself with the unit. Safety precautions need to be maintained at all times.

Understanding what you will be using your scissor lift for will help ensure you have the right type of model. The scissor lift model you will need will largely depend on the types of jobs you will need to do. Essential factors to consider are the kinds of loads you will be transporting, the weight you will need to lift and how high you will have to go. Extreme heights can be attained by different models depending on your specific application. Tinier models are often preferred for interior jobs such as factory, freight or warehousing situations. There is no need to purchase the largest model on the market if you are not going to require the fullest capacity. Optional railings and platforms are available on electrical scissor lifts to provide maximum safety. Scissor lifts are reliable and safe for a multitude of applications. If these machines did not follow strict safety rules and particular inspections, they would not be for sale across the globe. These machines help us facilitate tasks that would otherwise not be possible. These machines are situated in place before elevating vertically. The operator needs to move the unit into the correct position before engaging the lift. Many safety features have been incorporated into these units. Following operational guidelines is essential for everyone’s safety. The scissor lift’s safety basket creates a secure work area compared to trying to accomplish similar tasks from a ladder or scaffolding. The majority of scissor lifts utilize batteries that are internally mounted inside of the base of the lift to generate power. Charging is required after a long sitting for an extended time or working a long shift. Numerous operators charge their units throughout the day or replace batteries every 12 hours. To facilitate scissor lift charging, the operator can park the machine close to an electrical outlet in a well-ventilated place. After the scissor lift is parked the emergency shut-off switch is activated for safety. The emergency shut-off switch is the big red button located in the basket or the lift close to the control box or the charger. The battery charger is commonly located on the right side of the lift on the base. Many older models may feature the battery charger mounted on the back of the scissor lift. The scissor lift charger is plugged into the AC extension cord into a well-ventilated location. Next, the extension cord plugs into an electrical outlet. The length of the electrical cord on the battery charger needs to be short to prevent damage or running over it. There is a high possibility for extreme danger if excess extension cord length dropped out of the battery charger storage area during operation. Once the scissor lift is plugged in, all of the lights on the charger should ideally become illuminated. The batteries will automatically begin charging once plugged in. After the charging is complete, the battery lights switch to green and the charger

shuts down. Older scissor lifts need to use a meter to show zero volts once they are completely charged and this charger also turns off after completion. The machine is ready to tackle another shift once the batteries are fully charged. It is common for warehouses and certain businesses to keep batteries charging around the clock to allow the scissor lift to operate 24 hours a day.